

Printing date 18.01.2022

Version number 7

Revision: 18.01.2022

| 448 4 34 | |
|---|---|
| 1.1 Product iden | |
| · Trade name: | Fechnovit 4000 Powder |
| | tified uses of the substance or mixture and uses advised against t information available. |
| Application | n of the substance / the mixture Resin for metallographic testing |
| Manufacturer/ Kulzer GmbH Leipziger Straß | <i>supplier of the safety data sheet Supplier:</i> Re 2, 63450 Hanau (Germany) 81 9689-2570 (Wehrheim) |
| Informing dep 1.4 Emergency te | artment: email: technik.wehrheim@kulzer-dental.com Slephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-8446 |
| | |
| SECTION 2: H | azards identification |
| | of the substance or mixture |
| | according to Regulation (EC) No 1272/2008 |
| Skin Sens. 1 | H317 May cause an allergic skin reaction. |
| STOT RE 1 | H372 Causes damage to the lung through prolonged or repeated exposure Route of exposure: Inhalation. |
| Aquatic Chroni | c 2 H411 Toxic to aquatic life with long lasting effects. |
| Hazard pic | classified and labelled according to the CLP regulation. tograms |
| GHS07 G | GHS08 GHS09 |
| · Signal wor | d Danger |
| • Hazard-det Quartz (SiO dibenzoyl po • Hazard sta | eroxide |
| H372 Caus | ause an allergic skin reaction. es damage to the lung through prolonged or repeated exposure. Route sure: Inhalation. |
| H411 Toxic • Precaution | to aquatic life with long lasting effects. ary statements |
| P260 P273 P280 | Do not breathe dust/fume/gas/mist/vapours/spray. Avoid release to the environment. Wear protective gloves. |
| P302+P352 P333+P313 | IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. |
| 2.3 Other hazard | |
| | |
| | T and vPvB assessment |



Printing date 18.01.2022

Version number 7

Revision: 18.01.2022

Trade name: Technovit 4000 Powder

· vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients · 3.2 Chemical characterisation: Mixtures · Description: -· Dangerous components: CAS: 14808-60-7 Quartz (SiO2) >90% EINECS: 238-878-4 STOT RE 1. H372 CAS: 94-36-0 dibenzoyl peroxide ≥1-<2.5% EINECS: 202-327-6 Self-react. B, H241; Org. Perox. B, H241 Reg.nr.: 01-2119511472-50-xxxx Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10) Eye Irrit. 2, H319; Skin Sens. 1, H317 • Additional information For the wording of the listed hazard phrases refer to section 16. **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

General information

Take affected persons into the open air.

Personal protection for the First Aider.

After inhalation

Supply fresh air; consult doctor in case of symptoms.

In case of unconsciousness bring patient into stable side position for transport.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor. Remove contact lenses, if present and easy to do. Continue rinsing.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed Allergic reactions Breathing difficulty

Coughing

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. For safety reasons unsuitable extinguishing agents Water with a full water jet.

• 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. Can be released in case of fire

Carbon dioxide (CO2)

Carbon monoxide (CO)

(Contd. on page 3)

GB



Printing date 18.01.2022

Version number 7

Revision: 18.01.2022

(Contd. of page 2)

Trade name: Technovit 4000 Powder

- 5.3 Advice for firefighters
 - Protective equipment:
 - Wear self-contained breathing apparatus.
 - (EN 133)
 - · Additional information Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with eyes and skin. Ensure adequate ventilation Wear protective equipment. Keep unprotected persons away. Avoid causing dust.
 6.2 Environmental precautions: Do not allow to enter the ground/soil. Damp down dust with water spray jet. Do not allow to enter drainage system, surface or ground water.
 6.3 Methods and material for containment and cleaning up: Send for recovery or disposal in suitable containers.
- Collect mechanically. **6.4 Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal
- See Section 13 for information on disposal.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Carry out filling operations only at sites with extractors available. Avoid contact with eyes and skin. Provide suction extractors if dust is formed. Any deposit of dust which cannot be avoided must be removed regularly. Prevent formation of dust. Ensure good ventilation/exhaustion at the workplace.

- Handling do not mix with Strong bases Strong acids organic peroxides Strong oxidizers reducing agent
- · Information about protection against explosions and fires: Protect from heat.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - [.] Storage
 - · Requirements to be met by storerooms and containers:
 - Store in cool, dry place in tightly closed containers.
 - Information about storage in one common storage facility: Not required.
 - **Further information about storage conditions:** Store container in a well ventilated position.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

GB



Printing date 18.01.2022

Version number 7

Revision: 18.01.2022

Trade name: Technovit 4000 Powder

(Contd. of page 3)

| ^ | ol parameters | | | | | |
|---|---|--|--|------------------------------------|---------|--|
| · comp | onents with crit | ical valu | es that require | monitoring at the workplace: | | |
| | -7 Quartz (SiO2) | | • | - · · | | |
| AGW (European Union) | | | Long-term value: 0.1 mg/m³ | | | |
| • | uropean Union) | - | - | - | | |
| | | *respirable fraction | | | | |
| 94-36-0 d | ibenzoyl peroxi | de | | | | |
| WEL (Great Britain) | | Long-term value: 5 mg/m³ | | | | |
| · | DNELs | | | | | |
| 94-36-0 d | ibenzoyl peroxi | de | | | | |
| Oral | | | term. svstemic | 2 mg/Kg (not defined) | | |
| Dermal | worker industria | - | - | 13.3 mg/Kg/d (not defined) | | |
| | worker industria | | | 39 mg/m3 (not defined) | | |
| | | ai, iong ie | iiii, systeiniic | | | |
| | PNECs | | | | | |
| | ibenzoyl peroxi | de | | | | |
| freshwate | r | | 0.00002 mg/l (I | , | | |
| marine wa | nter | | 0.000002 mg/l | (not defined) | | |
| sewage treatment plant | | | 0.35 mg/l (not o | defined) | | |
| sediment, dry weight, fresh | | hwater | , | | | |
| sediment. | dry weight, mari | ine water | 0.001 mg/Kg (r | not defined) | | |
| soil, dry w | | | 0.003 mg/Kg (not defined) | | | |
| Persoi | and mundantives a | | | | s basis | |
| Kee Inst Wa Avc Do • Bre Use Filte the che lf s sen Che | degradation mical protection kin contact can sitization. | and hyg odstuffs, b y soiled a breaks a breaks a smoke / r ent: rticle filter rticle filter ye materia gloves ar not be a oves prior | <i>ienic measures</i> everages and for and impregnated and at the end of and skin. mist. in case of dust al on considerat re suitable, whic voided, protect | ood. I garments. : the work. | usion a | |



Printing date 18.01.2022

Version number 7

Revision: 18.01.2022

Trade name: Technovit 4000 Powder

(Contd. of page 4) Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. >30 min • Eye protection: eye protection (EN 166) · Body protection: Light weight protective clothing · Limitation and supervision of exposure into the environment Do not allow to enter drainage system, surface or ground water. SECTION 9: Physical and chemical properties · 9.1 Information on basic physical and chemical properties **General Information** Appearance: Form: Powder · Colour: Cream coloured Yellowish Light brown · Smell: Odourless Not determined. · Odour threshold: · pH-value: Not determined. · Change in condition • Melting point/freezing point: Not determined • Initial boiling point and boiling range: Not determined · Flash point: Not applicable · Inflammability (solid, gaseous) Not applicable. · Decomposition temperature: Not determined. · Self-inflammability: Product is not selfigniting. · Explosive properties: Product is not explosive. Critical values for explosion: Lower: Not determined. Not determined. · Upper: Steam pressure: Not determined. Not applicable. 2.50317 g/cm3 Density at 20 °C Relative density Not determined. · Vapour density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Not miscible or difficult to mix Water: · Partition coefficient: n-octanol/water: Not determined. · Viscosity: · dynamic: Not determined. Not applicable. · kinematic: Not determined. Not applicable. (Contd. on page 6) GB



Printing date 18.01.2022

Version number 7

Revision: 18.01.2022

(Contd. of page 5)

Trade name: Technovit 4000 Powder

· Solvent content: · Water:

0.6 %

· 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity • 10.1 Reactivity No further relevant information available.

- 10.1 Reactivity No further relevant information availab
- 10.2 Chemical stability
- Conditions to be avoided: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid Heat, flames and sparks.
- · 10.5 Incompatible materials:
- Strong bases Strong acids
- Strong oxidizers
- reducing agent
- organic peroxides
- 10.6 Hazardous decomposition products: None
 - · Additional information: -

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
 - Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

94-36-0 dibenzoyl peroxide

Oral LD0 >2,000 mg/kg (mouse) (OECD 401)

Inhalative LC0/4h 24.3 ppm (rat) (OECD 403)

Primary irritant effect:

- Skin corrosion/irritation Based on available data, the classification criteria are not met. • Serious eye damage/irritation
- Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation
- May cause an allergic skin reaction.

· Additional toxicological information:

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB



Printing date 18.01.2022

Version number 7

Revision: 18.01.2022

Trade name: Technovit 4000 Powder

(Contd. of page 6)

| · 12.1 Toxicity | / | | | | |
|--|---|--|--|--|--|
| · Aquatic t | • | | | | |
| | nzoyl peroxide | | | | |
| EC50/72h | 0.042 mg/l (algae) (OECD 201) | | | | |
| EC50/48h | 0.11 mg/l (daphnia) (OECD 202) | | | | |
| LC50/96h | 0.06 mg/l (fish) (OECD 203) | | | | |
| ErC50 / 72 h | ErC50 / 72 h 0.071 mg/l (algae) (OECD 201) | | | | |
| | NOEC / 72h 0.02 mg/l (algae) (OECD 201) | | | | |
| NOEC / 96h | 0.032 mg/l (fish) (OECD 203) | | | | |
| NOEC / 48h | 0.076 mg/l (daphnia) (OECD 202) | | | | |
| ErC10 | 0.001 mg/L /21d (daphnia) (OECD 211) | | | | |
| · 12.2 Persiste | ence and degradability | | | | |
| | nzoyl peroxide | | | | |
| | on 71 % /28d (not defined) (OECD 301D) Imulative potential No further relevant information available. | | | | |
| Avoid a Harmfu Do not Dange 12.5 Results PBT: Not vPvB: No 12.6 Other a | t applicable. dverse effects No further relevant information available. | | | | |
| SECTION | 13: Disposal considerations | | | | |
| · Recomm | reatment methods endation be disposed of together with household garbage. Do not allow product to reach sewa | | | | |
| | d packagings: nmendation: Disposal must be made according to official regulations. | | | | |
| | 14: Transport information | | | | |
| SECTION | | | | | |
| SECTION 14.1 UN-Num ADR, IMD | nber | | | | |



Printing date 18.01.2022

Version number 7

Revision: 18.01.2022

Trade name: Technovit 4000 Powder

(Contd. of page 7) 14.2 UN proper shipping name · ADR 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzovl peroxide) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl ·IMDG peroxide), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS ·IATA SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide) · 14.3 Transport hazard class(es) · ADR 9 (M7) Miscellaneous dangerous · Class substances and articles. · Label 9 · IMDG, IATA · Class 9 Miscellaneous dangerous substances and articles. · Label g 14.4 Packing group ADR, IMDG, IATA III· 14.5 Environmental hazards: Marine pollutant: No Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree) · Special marking (IATÁ): Symbol (fish and tree) · 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles. · Kemler Number: 90 F-A,S-F · EMS Number: Stowage Category Α · Stowage Code SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9. · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · Transport/Additional information: · ADR Limited quantities (LQ) 5 kg Excepted quantities (ÉQ) Code: E1 Maximum net quantity per inner (Contd. on page 9) GB



Printing date 18.01.2022

Version number 7

Revision: 18.01.2022

Trade name: Technovit 4000 Powder

| | (Contd. of page 8) |
|---|--|
| · · Transport category · Tunnel restriction code | packaging: 30 g Maximum net quantity per outer packaging: 1000 g 3 - |
| · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) | 5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g |
| · UN "Model Regulation": | UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DIBENZOYL PEROXIDE), 9, III |

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · Information about limitation of use:

Employment restrictions concerning young persons must be observed.

- Employment restrictions concerning pregnant and lactating women must be observed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H241 Heating may cause a fire or explosion.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent

(Contd. on page 10)

GB



Printing date 18.01.2022

Version number 7

Revision: 18.01.2022

GB

Trade name: Technovit 4000 Powder

(Contd. of page 9) LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Self-react. B: Self-reactive substances and mixtures – Type B Drg. Perox. B: Organic peroxides – Type B Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 **Sources** (EC) 1272/2008: classification, labelling and packaging of substances and mixtures (EC) 1907/2006: REACH ADR/RID/ADN - IDMG - IATA: transport of dangerous goods by road, rail, inland waterway, with maritime vessels and for the air transport *** Data compared to the previous version altered.**