

Material Safety Data Sheet

Issue: Nov. 15, 2010 Revision: Sep. 15, 2011

I. Product Information:

* Product Name:	Pikal Metal polish(Liquid type)
* Product Code:	11100 12100 13100 16000 17000 17110
* Manufacturer:	Nihon Maryo Kogyo Co., Ltd.
Address:	3-23-15 Takanawa, Minato-ku, Tokyo, 108-0074, Japan
	Sales Department
Telephone Number:	03-3441-6231
FAX Number:	03-3441-6236
Emergency Tel Number:	Ohmori Plant/Production Dept.
0	Tel: 03-3762-1666
	Fax: 03-3762-1668
* Recommended Application	Metal Polishing

II. Hazard Identification:

* GHS Classification:

Hazard Item	Classification	Alarm Mark	Symbol
Flammable Liquid	Demarcation-4	Alarm	
Skin Causticity/Sensitivity	Demarcation-2	Alarm	(!)
Serious Eye Damage – Eye Acridity	Demarcation-2B	Alarm	
Oncogenicity	Demarcation-2	Alarm	*
Particular Target Organ • Multiple Exposure	Demarcation-1	Danger	*

* Hazard Information:

- 1 Flammable liquid
- ② Skin sensitivity
- ③ Eye damage
- ④ Possibility of carcinogenesis
- ⑤ Organ disorder due to prolonged or repeated exposure



III. Composition Information on Ingredient: * Demarcation of chemical Substance/mixture - Mixture:

Substance Name	Industrial Safety and Health Act		Chemical	PRTR No.	CAS No.
Substance Name	Cabinet order #	Content rate %	Management Act	ENTRINO.	CAS NO.
Abrasive material(Al2O3)	#189	20	1-23	N/A	1344-28-1
Mineral oil(Kerosene)	#380	10	9-1702	N/A	8008-20-6
Fatty acid ammonium salt	N/A		2-609 1-314	N/A	67701-08-0 1336-21-6
Ethylene Glycol	#75	<1	2-230	N/A	107-21-1
Water	N/A			N/A	7732-18-5

IV. First Aid:

V.

* Inhalation:	In case of falling sick due to inhalation of fume or mist, move to the other place to get a fresh air. If discomfort persists, obtain doctor's diagnosis.
* Skin contact:	After well washing by soap, rinse by water. Contaminated clothes shall be taken off immediately and be cleaned before re-use. If abnormal feeling persists, obtain doctor's diagnosis.
* Eye contact:	Don't rub eye but rinse eyes with flushing fresh water for at least 15 minutes, through the backside of eyelid. In case of contact lens being used, remove it immediately and clean. If eye irritation persists, obtain doctor's diagnosis.
* Ingestion:	Don't get the person to vomit forcibly but rinse mouth by water and then obtain doctor's diagnosis
 * Expected acute symptoms or delayed symptoms 	In case of accidental ingestion, mucosa of stomach becomes stimulated and certain symptoms such as vomiting, diarrheal, stomach ache, etc may be caused.

* Extinguishant:	Carbon dioxide, powder extinguishant, bubble extiguishant, dried sand
* Particular way for fire extinction	Remove goods away from fire area if it is not danger. Fire extinction from upwind position.
* Particular method for fire extinction	Use adequate protective equipment (glove, goggle, mask, etc)



- VI. Measure on Leakage:
 - * Cautions on Body, Protective Equipment and Emergency Measures

	 Operator shall wear an adequate protective equipment (rubber gloves, goggle, apron, mask, etc) For inner operation, take a position in upwind under well air ventilated circumstance. Prepare extinguisher for fire protection. Refrain from using fire around the work area.
* Cautions on Circumstance:	
	 Take a necessary measure to prevent waste being disposed Into a river, considering environmental affect. For a small amount of waste, reclaim it in tightly sealable container after absorbing it to a waste cloth, sawdust, soil, or sand, etc. For mass disposal, put it in a tightly sealable container and locate that container in a safety place where is banked all around to prevent the contents flowing out.
* Avoid Secondary Disaster	Remove all ignition source. Refrain from using fire and smoking in a work area Prevent waste being flown into a drain ditch, drain sewer, etc

VII. Caution on Handling/Storage:

* Handling:

** Technical Measure	Work area shall be well air ventilated.
** Safety Handling Note	 Obtain an operation manual and understand every safety matters before starting operation. Refrain from using high temperature matter and fire around work area Refrain from inhaling mist or fume. Refrain from taking food or smoking while using this product Rinse hands after handling and avoid eye contact Use an adequate protective equipment
* Storage:	
** Storing Condition	Isolate from ignition source such as heat, spark, open flame Refrain from storing under direct sunlight, in high temp.(\geq 40°C), in low temp(\leq 0°C), under water splash and in high humid

VIII. Anti-Exposure and Protection Measure:

* Concentration Control	Not specified
* Facility Measure	It is recommended to have a washable place(for hand, eye) near to work area
* Protective Equipment:	
** For respiratory apparatus	Take a protective mask if it is needed



** For hand	Take protective gloves if it is needed
** For eyes	Take a protective goggle if it is needed
** For skin and body	Take a protective suit if it is needed
* Sanitary Measure:	Rinse hands after use

IX. Physical and Chemical Characteristics:

* Physical status	Liquid form with creamy white color
* Odor	Characteristic odor
* рН	9 ~ 11(20°C)
*Freezing Point	O°C
* Flashing Point	80°C
* Specific Gravity(density)	1.1(20°C)
* Solubility	Disperse in water

X. Stability and Reactivity:

* Stability	Stable under normal condition
* Dangerous hazardous reaction	None
* Situation to Avoid	Heating, freezing
* Dangerous hazardous product	By heating, petroleum component(Kerosene) and small amount of ammonia gas are generated

XI. Hazardous Information:

* Acute Toxicity (Oral)	Out of Demarcation
* Acute Toxicity (Percutaneous)	Out of Demarcation
* Acute Toxicity (Dust attraction : Dust, Mist)	Out of Demarcation
* Skin Causticity	Demarcation-2
* Serious Eye Damage, Eye Acridity	Demarcation-2B
* Respiratory Sensitivity	Not Classifiable
* Skin Sensitivity	Not Classifiable
* Genital Cell Mutagenicity	Out of Demarcation
* Oncogenicity	Demarcation-2
* Reproductive Toxicity	Not Classifiable



* Domestic Regulation:

	* Particular Target Organ - Single exposure	Out of [Demarcation
	* Particular Target Organ - Multiple exposure	Demarc	cation-1
	* Aspiration Respiratory Toxicity	Out of I	Demarcation
XII.	Environmental Effect Information:		
	* Water Environment Acute Toxic	ity Not Cla	ssifiable
	* Water Environment Chronic To:	kicity Not Cla	ssifiable
XIII.	Caution on Disposal:		
	* Residual Wastage	governr is autho authorit Such ei done up	relative regulations and standards of local ment. Entrust industrial waste disposer who prized by prefectural governor or local public by who has a disposal service. Intrustment for disposal of wastage shall be boon well explanation of hazardous nature icity to the disposer.
	* Contaminated container and pa	adequa regulati For disp	ninated container must be cleaned for recycle or tely disposed in accordance with the relative on and the standard of local government. posal of empty container, contents must be ed completely.
XIV.	Caution on Transportation:		
	* Inter national Regulation:	UN Classification	
	* Domostic Poquiation:	Marine Pollutant	Oil Discharge Regulation

Follow Fire Defense Law Follow Ship Safety Act Follow Aviation Law

* Special Safety Measure: Refrain from transporting under high temperature such as direct sun lighting, etc. Packing carefully to have no damage nor corrosion nor leakage nor loose packing. Refrain from piling up heavy cargo

On-land Regulation

Marine Regulation

Aviation Regulation



XV. Applicable Law:

* Hazardous Goods under Fire Act:	Not Applicable (however, designated flammable liquid under Fire Act shall be applied)			
* Industrial Safety and Health Act:	Article #57-2, Enforcement Order #18-2			
XVI. Other Information:				
* Referenced Documents:	 JIS Z 7252 2009 [Classification method on chemical Substances per GHS]Japanese Standard Association(JSA) [Globally Harmonized System of Classification and labeling Of Chemicals (GHS)] Rev. 2, UN publication 			

Note: This document is issued by the information which is available at this moment, and does not cover all information. Therefore, careful handling of this product is required. Information about contained amount, physical chemical substance, hazardous toxicity, etc shall be treated as a reference but does not provide a guarantee in any aspects. Notices in this document are stated assuming normal handling. For any special or abnormal handling, follow to the relevant safety measure(s) in accordance to the actual application or purpose.