# Safety Data Sheet



94203 Gust® Easy Duster **DUDIC** Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

## **1. IDENTIFICATION**

Stoner Incorporated	Product Name:	Gust® Easy Duster
1070 Robert Fulton Hwy.	Product Code:	94203
Quarryville, PA 17566	Product Use:	Duster
1-800-227-5538	24-hour emergency phone:	1-800-424-9300 [CHEMTREC]
2. HAZARD IDENTIFICATION	I	
POTENTIAL HEALTH EFFECTS		
Classification of the chemical in accordance GHS Hazard Symbols		
GHS Classification	Flammable Gas Category 1 Gases under pressure - Liquified Gas	
Signal Word	Danger	
Hazard Statements	Extremely flammable gas. Contains gas under pressure; may explode if heated.	
Precautionary Statements		
Prevention	Keep away from heat/sparks/open flames/hot surfaces	s. – No smoking.
Response	Leaking gas fire: Do not extinguish, unless leak can be stopped safely. Eliminate all ignition sources if safe to do so.	
Storage	Store in a well-ventilated place. Protect from sunlight. Store in a well-ventilated place.	

3. COMPOS	ITION/INFORM	MATION ON IN	GREDIENT	S			
COMPONENT Halogenated hydro	ocarbon		<u>AS #</u> -37-6		<u>Percent</u> 80 - 100		
HMIS® III* HAZ	ARDOUS WARNIN	IGS:					
Health: 1		Flammability:	4	Physical:	2	Personal Protective Equipment:	See Section 8
* See www.paint.or	rg/hmis or call the A	CA at 1 (202) 462-62	72 for more infor	mation on this current rating syste	em.		
4. FIRST AII	D MEASURES						
Eyes:				t least 15 minutes while holding	eyelids apart. If sy	mptoms persist or there	
Skin Contact:		y, seek medical attent i immediately wash c		with plenty of water for at least 1	5 minutes.		
Ingestion: Ingestion is an unlikely route of exposure.							
Inhalation:	Remove to fresh attention.	air. If not breathing, g	ive artificial resp	iration. If breathing is difficult, gi	ve oxygen. Seek i	mmediate medical	
NOTES TO PHYSI							
Because of possible support.	e disturbances of card	liac rhythm, catechola	amine drugs, such	as epinephrine, should be used o	nly in situations of	f emergency life	

#### **Stoner Incorporated**

*94203* 

PAGE 1

#### 5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards:	This product contains a component(s) that is considered an extremely flammable gas(es), which has vapors that are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights,
	or other flames and ignition sources at locations distant from the material's handling point. Containers may rupture or explode under fire conditions.
Fire Fighting Instructions:	Use CO2, foam or dry chemical. Water is generally not effective and may spread fire; however, water spray may be used from a safe distance to cool closed containers and protect surrounding area.

# 6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Ventilate contaminated area. Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely.

### 7. HANDLING AND STORAGE

Handling: Use with adequate ventilation. Do not use near ignition sources. Avoid prolonged or repeated contact with skin. Avoid prolonged or repeated breathing of vapor. May cause frostbite.

Storage: Store in a cool, dry, well ventilated area away from all sources of ignition. Do not store at temperatures above 122 degrees F. Empty container may contain residues which are hazardous. Store away from incompatible materials such as materials that support combustion (oxidizing materials) and corrosive materials (strong acids or bases).

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:	Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SDS (from known, suspected or apparent adverse effects).			
Eye Protection:	Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or airborne material. Have an eye wash station available.			
Skin Protection:	The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with skin.			
Respiratory Protection:	None required for well ventilated situations. A supplied air respirator should be used if ventilation is not sufficient to maintain exposure limits. Use NIOSH approved respirator where there is likelihood of inhalation of the product mist, spray or aerosol.			
COMPONENT Halogenated hydrocarbon	<u>CAS #</u> 75-37-6	ACGIH TLV Not established	OSHA PEL Not established	<u>OTHER</u> 1000ppm TWA (Mfr.)

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Aerosol can	Lower Flammability Limit (%):	3.9
Appearance:	Clear Colorless	Upper Flammability Limit (%):	16.9
Odor:	Slight ethereal.	Vapor Pressure (PSIG @ 70°F):	63.00
Odor Threshold:	Mild	Vapor Density [air = 1]:	>1
pH:	Not applicable	Relative Density (H2O=1):	0.9
Melting/Freezing Point (°F):	No data available	Solubility in Water:	Negligible; 0-1%
Boiling Point (°F):	No data available	Partial Coefficient: n- octanol/water:	No data available
Flash Point (°F PMCC):	Not applicable	Autoignition Temperature (°F):	Not applicable
Evaporation Rate:	<0.020 (n-Butyl acetate = 1)	Decomposition Temperature (°F):	No data available
Flammability (solid, gas): Percent VOCs (%):	No data available < 0.0001	Viscosity, dynamic (cSt):	No data available

#### **10. STABILITY AND REACTION**

Chemical Stability: Conditions to Avoid:	Stable. Avoid contact with: Alkali. Alkaline earth metals. Freshly abraded aluminum surfaces. Powdered metals. Ignition
	sources such as open flames, sparks, static discharges or glowing metal surfaces.
Decomposition Products:	This material can be decomposed by extremely high temperatures (open flames, glowing metal surfaces, etc.) forming
_	hydrofluoric acid and carbonyl fluoride.
11. TOXICOLOGICA	L INFORMATION
Inhalation Toxicity:	4HR ALC Rat 383000 ppm
5	11
Oral Toxicity:	ORAL ALD Rat > 1500 mg/kg
Reproductive &	No data available.
Developmental Toxicity:	

**Toxicological Data** 

# **12. ECOLOGICAL INFORMATION**

No data available

IARC Carcinogen Designation:

Ingredient

No data available

12. ECOLOGICAL II	NFORMATION		
Ecological Toxicity: Mobility:	No data available No data available		
<b>Ingredient</b> No data available	CAS #		Toxicological Data
Stoner Incorporated	94203	PAGE 2	

CAS#

#### 13. DISPOSAL CONSIDERATIONS

Disposal : Dispose according to Federal, State and local regulations.

#### 14. TRANSPORTATION INFORMATION

Agency	UN Number	Proper Shipping name	Hazard Class	Packing Group
DOT	UN1030	Refrigerant gas R 152a <sup>+</sup>	2.1	Not applicable
IATA	UN1030	Refrigerant gas R 152a <sup>+</sup>	2.1	Not applicable
IMDG	UN1030	Refrigerant gas R 152a†	2.1	Not applicable
+ "Limita	d Quantitias" may ba	applicable for this transportation mode		

† "Limited Quantities" may be applicable for this transportation mode.

### **15. REGULATORY INFORMATION**

 Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

 COMPONENT
 CAS #
 % BY WEIGHT
 Regulatory Body

 No components listed in this section.
 SARA Section 313

**Toxic Substances Control Act** 

All components of this product are listed on the TSCA inventory.

#### California Prop 65

This product contains no California Proposition 65 ingredients that cause cancer, birth defects or other reproductive harm.

#### **16. OTHER INFORMATION**

Other Information : SDS Prepared by L. Dean Swartz, SDS Coordinator

Version Date: 05/17/18

This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.